KRAFT/TECH,INC.

You now have the option to receive 1-1/4" frames without **Gas Tank Mounts.** Simply add the letters "NM" after the part number.

Ex: "K15006-NM"

Fenders Struts

Swingarms

Frame with this option will have this symbol



Gas Tanks

Oil Tanks


Fwd Controls

Kickstands

Handlebars

Exhaust


Misc.



4 Frames

Swingarms

- * Feature 1-1/4" thick wall, DOM steel tubing with 1-1/2" backbones
- * All frames are TIG-MIG welded & they will accept Panhead, Shovelhead and Evolution (except Twin Cam) engines with cylinders up to .200" taller than stock Evo
- * Frames designed for 5 or 6-speed Softail-type transmissions
- * These frames have been an industry-standard since their introduction
- * Component Kits are included with purchase of frame...these kits are not sold separately





Swingarms



SOFTAIL-STYLE FRAMES / 1-1/4" TUBING / STOCK WIDTH

- * Designed for use with 1987-1999 rear sections (Rear section not included) see page 78
- * Frames equipped with stock style coil and oil tank mounts as well as gas tank mounts for flatside tanks
- * Available with neck rakes of $30^{\circ}/34^{\circ}/38^{\circ}$

Fenders Struts

Gas Tanks

Oil Tanks

Fwd Controls

Kickstands

Exhaust

Handlebars





SOLD SEPARATELY

	Part #	<u>Style</u>	Tire Width	TUBING	RAKE	Up Stretch
	K15051	Softail	Stock	1-1/4"	30 ⁰	0"
	K15052	Softail	Stock	1-1/4"	34 ⁰	2"
Misc.	K15053	Softail	Stock	1-1/4"	38 ⁰	2"

SOFTAIL-STYLE FRAMES / 1-1/4" TUBING / 180 TIRE WIDTH

- * Designed for 180 width tire w/1-1/2" belt or 200 width tire with chain
- * Offset built into frame / No spacing required
- * Stock motor and transmission bolt-in
- * Component kit is included







Frames



Fenders Struts







SOLD SEPARATELY

1 000 1

Part #	<u>Style</u>	TIRE WIDTH	<u>Tubing</u>	Rake	UP STRETCH	<u>INCLUDES</u>
K15060	Softail	180	1-1/4"	30 ⁰	0"	Rear Section Assembly
K15061	Softail	180	1-1/4"	34 ⁰	2"	Rear Section Assembly
K15062	Softail	180	1-1/4"	38°	2"	Rear Section Assembly



Oil Tanks







Handlebars



Exhaust

C	- 6				
Soi	ר ח	·FDΛ	DΛ	TFI	ν

Part#	<u>Style</u>	TIRE WIDTH	<u>Tubing</u>	<u>Rake</u>	UP STRETCH	BACK BONE STR.	INCLUDES
K15067	Softail	180	1-1/4"	34 ⁰	4"	1-1/2"	Rear Section Assembly Kit
K15068	Softail	180	1-1/4"	38 ^⁰	4"	1-1/2"	Rear Section Assembly Kit





SOFTAIL-STYLE FRAMES / 1-1/4" TUBING / 200 TIRE WIDTH

- * Designed for 200 width tire w/1-1/2" belt or chain
- * Offset built into frame. . . use 1/2" spacer between engine and inner primary cover use 1/2" longer spacing on engine sprocket or pulley
- * Component kit is included

Swingarms



Fenders Struts

Gas Tanks

KIT INCLUDED

Oil Tanks



Part # K15072

STYLE Softail TIRE WIDTH TUBING 200

1-1/4"

RAKE 34º

UP STRETCH

BACK BONE STR. INCLUDES

Rear Section Assembly Kit

Fwd Controls





SOLD SEPARATELY

Handlebars



KIT INCLUDED



Misc.

Part # K15079

STYLE Softail TIRE WIDTH TUBING 200


RAKE 38⁰

UP STRETCH BACK BONE STR. INCLUDES

Rear Section Assembly Kit

SOFTAIL-STYLE FRAMES / 1-1/4" TUBING / 230/240/250 TIRE WIDTH

- * Designed for 230/240 width tire w/1-1/2" belt or 250 width tire w/1-1/8" belt or chain
- * Offset built into frame...use 1" spacer between engine and inner primary use 1" spacing on engine sprocket or pulley
- * Component kit is included



Part # K15073 STYLE Softail TIRE WIDTH TUBING 230/240/250 1-1/4"


RAKE 34º

UP STRETCH INCLUDES

Rear Section Assembly w/1" Axle Kit

1111 H

SOLD SEPARATELY



KIT INCLUDED



Part # STYLE K15081 Softail TIRE WIDTH TUBING 230/240/250 1-1/4"

RAKE 38⁰

UP STRETCH INCLUDES

Rear Section Assembly w/1" Axle Kit

Frames

Swingarms

Fenders Struts

Gas Tanks

Oil Tanks

Fwd Controls

Kickstands

Handlebars

Exhaust





CURVED DUAL DOWN TUBE SOFTAIL-STYLE 1-1/4" TUBE FRAMES w/HIDDEN AXLE

This line of curved dual down tube frames demonstrates KRAFT/TECH's commitment to quality & affordability without compromise.

Swingarms

- * Frames for 300/330 tires, 1-1/2" backbone, 1-1/4" thereafter, all DOM steel tubing, mandrel bent
- * Frames come with 38 degree or 40 degree neck rake angles, with front leg stretches of 0" or -2"
- * Engineered with a super-strong upper frame design with integral neck webbing that offers unparalleled strength with pleasing aesthetics
- * Dual down tubes curve smoothly and flow continuously to become the lower frame rails
- * These Softail-style beauties are delivered complete with billet hidden axle rear section

Fenders Struts

- * Rear axle carriers are available in 2 styles: Dagger and Curved Dagger. Axle cover set included.
- * Component kit consists of our best quality pivot axle w/flush mount stainless pivot bolts and bearings
- * Integral one-piece trans mounting plate is part of the frame structure, assuring unit construction strength and the best possible alignment
- * Will accept our great-looking oil tanks, our one-piece round top fenders and gas tanks
- * Axles are 1" in diameter
- * Frames accept any 5 or 6-speed Right Side Drive Softail-style transmission together with 1-1/2" belt on 300 width tires or chain on 330 width tires

Gas Tanks

Oil Tanks

Fwd Controls



Kickstands

2 swingarm styles to choose from

Handlebars

Exhaust

DAGGER




CURVED DAGGER

CURVED DUAL DOWN TUBE SOFTAIL-STYLE FRAMES

Frames

Swingarms

Fenders Struts



DAGGER

Part #	<u>Style</u>	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	BACK BONE
K16125	Softail	300-330	1-1/4"	38⁰	0"	5"	1-1/2"
K16126	Softail	300-330	1-1/4"	40⁰	0"	5"	1-1/2"
K16127	Softail	300-330	1-1/4"	38⁰	-2"	5"	1-1/2"
K16128	Softail	300-330	1-1/4"	40 º	-2"	5"	1-1/2"

Gas Tanks

Oil Tanks

STRUTS SOLD SEPARATELY KIT INCLUDED

CURVED DAGGER

Part#	<u>Style</u>	TIRE WIDTH	<u>Tubing</u>	R AKE	UP STRETCH	BACK BONE STR.	BACK BONE
K16129	Softail	300-330	1-1/4"	38 ⁰	0"	5"	1-1/2"
K16130	Softail	300-330	1-1/4"	40⁰	0"	5"	1-1/2"
K16131	Softail	300-330	1-1/4"	38 º	-2"	5"	1-1/2"
K16132	Softail	300-330	1-1/4"	40⁰	-2"	5"	1-1/2"

Fwd Controls

Kickstands

Handlebars

Exhaust



SOFTAIL-STYLE FRAMES / 1-1/8" TUBING / STOCK WIDTH

- * Frames are designed for removable transmission plate
- * Engineered for use with 1987-1999 rear section assemblies (Rear section not included) see page 78
- * Come equipped with stock coil & oil tank mounts, and accept Softail style flatside gas tanks
- * Available with neck rakes of $30^{\circ}/34^{\circ}/38^{\circ}$

Swingarms

Fenders Struts

Gas Tanks

SOLD SEPARATELY



Oil Tanks

Part # K15001

STYLE Softail Stock

TIRE WIDTH TUBING 1-1/8"

RAKE 30⁰

UP STRETCH

Fwd Controls

Kickstands

Handlebars



SOLD SEPARATELY

Exhaust

Misc.



Part # **S**TYLE K15002 Softail K15003 Softail TIRE WIDTH TUBING Stock Stock

1-1/8"

1-1/8"

RAKE 34º **38**^⁰

UP STRETCH 2" 2"

12 Frames 💓



Swingarms

Fenders Struts

Gas Tanks

Oil Tanks

AS SHOWN IN THESE PICTURES ALL STOCK COMPONENTS BOLT RIGHT ON



Fwd Controls

Kickstands

Handlebars

Exhaust



SOFTAIL-STYLE FRAMES / 1-1/4" TUBING / 180 TIRE WIDTH

- * Designed for 180 width tire w/1-1/2" belt or 200 width tire with chain
- * Offset built into frame / no spacing is required
- * Stock motor and transmission bolt-in...this frame uses removable trans plate
- * Component kit is included

Swingarms

Fenders Struts

Gas Tanks





KIT INCLUDED



SOLD SEPARATELY



JULU JEPAKAIELI

Oil Tanks

Part #	<u>Style</u>	TIRE WIDTH	<u>Tubing</u>	RAKE	UP STRETCH	INCLUDES
K15010	Softail	180	1-1/4"	30⁰	0"	Rear Section
K15011	Softail	180	1-1/4"	34 ⁰	2"	Rear Section
K15012	Softail	180	1-1/4"	38⁰	2"	Rear Section

SOLD SEPARATELY

Fwd Controls

Kickstands

Handlebars

Exhaust







SOLD SEPARATELY



SOLD SEPARATELY

Misc.	Part #	<u>Style</u>	TIRE WIDTH	<u>Tubing</u>	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
misc.	K15017	Softail	180	1-1/4"	34 º	4"	1-1/2"	Rear Section Assembly Kit
	K15018	Softail	180	1-1/4"	38⁰	4"	1-1/2"	Rear Section Assembly Kit



Swingarms

Fenders Struts

Gas Tanks

Oil Tanks

Fwd Controls

Kickstands

Handlebars

Exhaust





SOFTAIL-STYLE FRAMES FOR TWIN CAM B-MOTOR

* Replacement style frames designed for stock components

* Frames use 2000-up Twin Cam B-Motor and transmission

* Manufactured from 1-1/4" diameter DOM steel

* Available with 30° and 35° neck rake angles

* These frames are sold without rear sections, use your stock rear section assembly

Fenders Struts

Swingarms

ALL FRAMES COME COMPLETE
WITH A MANUFACTURER'S
STATEMENT OF ORIGIN

Gas Tanks



1-1/4" TUBING / STOCK WIDTH

STRUTS SOLD SEPARATELY

Oil Tanks

Part #	<u>Style</u>	Tire Width	<u>Tubing</u>	<u>Rake</u>	<u>Up Stretch</u>
K10065	Softail	Stock	1-1/4"	30 ⁰	0"
K10068	Softail	Stock	1-1/4"	35⁰	0"

Fwd Controls

1-1/4" TUBING / 180-200 TIRE WIDTH

Kickstands

- * Enhance the overall performance and looks of your Twin Cam B-Motor project by using these KRAFT/TECH frames and rear section assemblies
- * These frames accept 2000-up Softail Twin Cam B-motors and transmssions
- * Available with a neck rake angle of 30° or 35°
- * Frames accept most other stock components


Handlebars

Exhaust



KIT INCLUDED

Misc. Part # Style Tire Width Tubing F
K10066 Softail 180-200 1-1/4" 3



K10069

SOFTAIL-STYLE FRAMES FOR TWIN CAM B-MOTORS

- * Large 1-3/8" diameter DOM steel tubing, mandrel bent
- * Frames are TIG-MIG welded
- * These beauties come complete with rear sections assembly
- * These frames accept 2000-up Softail Twin Cam B-motors and transmissions
- * Frames also accept most other stock components
- * Available with neck rake angles of 30°, 35° and 38° with front leg stretches of 0" and 2"
- * Component kit is included

Swingarms

Frames

Fenders Struts

Gas Tanks

Oil Tanks

Fwd Controls

Kickstands

Handlebars

Exhaust

Misc.

ALL FRAMES COME COMPLETE WITH A MANUFACTURER'S STATEMENT OF ORIGIN





KIT INCLUDED

optional Add the letter "H" after the part # for a hidden axle rear section

Part #	<u>Style</u>	Tire Width	<u>Tubing</u>	<u>Rake</u>	<u>Up Stretch</u>	<u>Includes</u>
K10070	Softail	Stock	1-3/8"	30⁰	0"	Rear Section Assembly
K10071	Softail	Stock	1-3/8"	35⁰	0"	Rear Section Assembly
K10072	Softail	Stock	1-3/8"	35⁰	2"	Rear Section Assembly
K10073	Softail	Stock	1-3/8"	38⁰	2"	Rear Section Assembly