

# SOFTAIL-STYLE FRAMES FOR TWIN CAM B-MOTORS

- \* Large 1-3/8" diameter DOM steel tubing, mandrel bent
- \* Frames are TIG-MIG welded
- \* These beauties come complete with rear sections assembly
- \* These frames accept 2000-up Softail Twin Cam B-motors and transmissions
- \* Frames also accept most other stock components
- \* Available with neck rake angles of 30°, 35° and 38° with front leg stretches of 0" and 2"
- \* Component kit is included

**ALL FRAMES COME COMPLETE WITH A MANUFACTURER'S STATEMENT OF ORIGIN**

**1-3/8" MEGA-TUBE / STOCK WIDTH**



Kit Included



**optional standard**

Add the letter "H" after the part # for a hidden axle rear section

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	INCLUDES
K10070	Softail	Stock	1-3/8"	30°	0"	Rear Section Assembly
K10071	Softail	Stock	1-3/8"	35°	0"	Rear Section Assembly
K10072	Softail	Stock	1-3/8"	35°	2"	Rear Section Assembly
K10073	Softail	Stock	1-3/8"	38°	2"	Rear Section Assembly

Frames

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

Fwd  
Controls

Kickstands

Handlebars

Exhaust

Misc.



# SOFTTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE

- \* Available in 1-3/8" diameter DOM steel tube, mandrel bent
- \* Backbones are beefy 1-1/2" steel tubing
- \* All frames are TIG-MIG welded
- \* Frames will accept Evolution (except Twin Cam motors), Shovelhead & Panhead engines with clearance for cylinders .200" taller than stock Evo height
- \* Frames accept Softtail-type transmissions, 5 or 6-speed
- \* Sold complete with rear section and component kit
- \* We now offer optional 1-3/8" Mega-Tube rear sections featuring our newly designed hidden axle we include a set of high quality, polished stainless cover plates complete with mounting hardware

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks


Fwd  
Controls

Kickstands

Handlebars

Exhaust

Misc.



## 1-3/8" REAR SECTIONS w/**OPTIONAL HIDDEN AXLE**

We now offer optional 1-3/8" Mega-Tube rear sections featuring our newly designed hidden axle. The axle plates on the rear section have been engineered to accept the axle in such a manner so as to virtually eliminate any unnecessary creeping under high horsepower loads. To keep all of this concealed we include a set of high quality, polished stainless cover plates complete with mounting hardware



TO ORDER ANY 1-3/8" MEGA-TUBE SOFTAIL-STYLE FRAME WITH A "HIDDEN AXLE" REAR SECTION,  
SIMPLY ADD THE LETTER "H" AFTER THE PART NUMBER



Frames

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

Fwd  
Controls

Kickstands

Handlebars

Exhaust

Misc.



## SOFTTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 180 TIRE WIDTH

- \* Designed for 180 width tire w/ 1-1/2" belt or 200 tire with chain
- \* Offset built into frame... no spacing required
- \* Stock motor and transmission bolt-in
- \* Feature an integral 1-piece trans plate


Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

Fwd  
Controls



KIT INCLUDED



**optional**      **standard**

Add the letter "H" after the part # for a hidden axle rear section

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	INCLUDES
K19004	Softtail	180	1-3/8"	35°	2"	Rear Section Assembly and Fork Cup Kit
K19005	Softtail	180	1-3/8"	38°	2"	Rear Section Assembly and Fork Cup Kit

Kickstands

Handlebars

Exhaust




KIT INCLUDED



**optional**      **standard**

Add the letter "H" after the part # for a hidden axle rear section



Misc.

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19006	Softtail	180	1-3/8"	35°	4"	1"	Rear Section Assembly and Fork Cup Kit
K19007	Softtail	180	1-3/8"	38°	4"	1"	Rear Section Assembly and Fork Cup Kit



# SOFTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 180 TIRE WIDTH

Frames




Kit Included



optional standard

Add the letter "H" after the part # for a hidden axle rear section



STRUTS SOLD SEPARATELY

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19008	Softail	180	1-3/8"	35°	8"	4"	Rear Section Assembly and Fork Cup Kit
K19009	Softail	180	1-3/8"	38°	8"	4"	Rear Section Assembly and Fork Cup Kit

Fwd  
Controls



Kickstands

Handlebars

Exhaust

Misc.



## SOFTTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 200 TIRE WIDTH

- \* These frames are set up for 200 tires with a 1-1/2" belt (or chain)
- \* Offset is built-into frame... use 1/2" spacer between engine & inner primary cover and 1/2" longer spacing on engine sprocket or pulley
- \* Frames feature an integral 1-piece trans plate for strength & superior driveline alignment

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

Fwd  
Controls

Kickstands

Handlebars

Exhaust

Misc.



**STRUTS SOLD SEPARATELY**



Kit INCLUDED



**optional**


**standard**

Add the letter "H" after the part # for a hidden axle rear section

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	INCLUDES
K19010	Softtail	200	1-3/8"	35°	2"	Rear Section Assembly and Fork Cup Kit
K19011	Softtail	200	1-3/8"	38°	2"	Rear Section Assembly and Fork Cup Kit



Kit INCLUDED



**optional**

**standard**

Add the letter "H" after the part # for a hidden axle rear section

**STRUTS SOLD SEPARATELY**



PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19012	Softtail	200	1-3/8"	35°	4"	1"	Rear Section Assembly and Fork Cup Kit
K19013	Softtail	200	1-3/8"	38°	4"	1"	Rear Section Assembly and Fork Cup Kit



# SOFTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 200 TIRE WIDTH

STRUTS SOLD SEPARATELY



KIT INCLUDED



optional

standard

Add the letter "H" after the part # for a hidden axle rear section



Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19014	Softail	200	1-3/8"	35°	8"	4"	Rear Section Assembly and Fork Cup Kit
K19015	Softail	200	1-3/8"	38°	8"	4"	Rear Section Assembly and Fork Cup Kit

Fwd  
Controls



Kickstands

Handlebars

Exhaust

Misc.



## SOFTTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 230/240/250 TIRE WIDTH

- \* Designed for 230/240 width tires w/1-1/2" belt, or 250 width tire w/1-1/8" belt (or chain)
- \* Offset is built into frame... use 1" spacer between engine and the inner primary cover, and 1" additional spacing on engine sprocket or pulley
- \* As with all frames in this section, our integral 1-piece trans plate is welded to the frame

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

Fwd  
Controls



**STRUTS SOLD SEPARATELY**



KIT INCLUDED



**optional**

**standard**

Add the letter "H" after the part # for a hidden axle rear section

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	INCLUDES
K19016	Softail	230/240/250	1-3/8"	35°	2"	Rear Section Assembly, 1" Axle & Fork Cup Kit
K19017	Softail	230/240/250	1-3/8"	38°	2"	Rear Section Assembly, 1" Axle & Fork Cup Kit

Kickstands



KIT INCLUDED

Handlebars




**optional**

**standard**

Add the letter "H" after the part # for a hidden axle rear section

Exhaust



**STRUTS SOLD SEPARATELY**


Misc.

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19018	Softail	230/240/250	1-3/8"	35°	4"	1"	Rear Section Assembly, 1" Axle & Fork Cup Kit
K19019	Softail	230/240/250	1-3/8"	38°	4"	1"	Rear Section Assembly, 1" Axle & Fork Cup Kit



# SOFTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE / 230/240/250 TIRE WIDTH

Frames



Kit Included



optional

standard

Add the letter "H" after the part # for a hidden axle rear section

Swingarms

Fenders  
Struts

Gas Tanks

Oil Tanks

PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	INCLUDES
K19020	Softail	230/240/250	1-3/8"	35°	8"	4"	Rear Section Assembly, 1" Axle & Fork Cup Kit
K19021	Softail	230/240/250	1-3/8"	38°	8"	4"	Rear Section Assembly, 1" Axle & Fork Cup Kit

Fwd  
Controls



Kickstands

Handlebars

Exhaust

Misc.



## SINGLE DOWNTUBE SOFTAIL-STYLE FRAMES / 1-3/8" MEGA-TUBE w/HIDDEN AXLE

*The line of single downtube frames demonstrates KRAFT/TECH's commitment to quality & affordability without compromise.*

- \* Frames for 180/230/240/250 tires . . 2" DOWNTUBE 1-3/4" BACKBONE, 1-3/8" THEREAFTER, all DOM steel tubing, mandrel bent
- \* Frames come with 38° or 40° neck rake angles, with front leg stretches of 2", 4" or 8"
- \* Engineered with a super-strong upper frame design with integral neck webbing that offers unparalleled strength with pleasing aesthetics
- \* Single downtube merges with lower frame rails in such a way as to continue the frame's smooth lines, often overlooked on other frames
- \* These Softail-style beauties are delivered complete with billet hidden axle rear section
- \* Component kit consists of pivot axle w/flush mount stainless pivot bolts and bearings
- \* Frames are set-up with offset already built-in (requires only simple spacing of engine sprocket or pulley, 230-240-250 frames use 1" spacing between engine and inner primary cover, 180 frames require no spacing)
- \* Integral one-piece trans mounting plate is part of the frame structure, assuring unit construction strength and the best possible alignment
- \* Will accept our great-looking oil tanks and of course, our huge selection of one-piece round top fenders.
- \* Axles for the 180 tire are 3/4" in diameter and the 230-240-250 are 1" in diameter
- \* Frames accept any 5 or 6-speed Softail-style transmission together with 1-1/2" belt on 180/230/240 width tires or 1-1/8" belt or chain on 250 width tires

Swingarms

Fenders  
Struts


Gas Tanks

Oil Tanks

Fwd  
Controls

Kickstands

Handlebars





**STRUTS SOLD SEPARATELY**



Kit INCLUDED

Exhaust	PART #	STYLE	TIRE WIDTH	TUBING	RAKE	UP STRETCH	BACK BONE STR.	DOWNTUBE	BACKBONE
	K19050	Softail	180	1-3/8"	38°	2"	5"	2"	1-3/4"
	K19051	Softail	180	1-3/8"	38°	4"	6-1/2"	2"	1-3/4"
	K19052	Softail	180	1-3/8"	38°	8"	8-1/2"	2"	1-3/4"
	K19056	Softail	180	1-3/8"	40°	2"	5"	2"	1-3/4"
Misc.	K19057	Softail	180	1-3/8"	40°	4"	6-1/2"	2"	1-3/4"
	K19058	Softail	180	1-3/8"	40°	8"	8-1/2"	2"	1-3/4"






Frames

Swingarms

Fenders  
Struts



Gas Tanks

Oil Tanks

Fwd  
Controls

Kickstands



KIT INCLUDED

Handlebars

Exhaust

Misc.

<u>PART #</u>	<u>STYLE</u>	<u>TIRE WIDTH</u>	<u>TUBING</u>	<u>RAKE</u>	<u>UP STRETCH</u>	<u>BACK BONE STR.</u>	<u>DOWNTUBE</u>	<u>BACKBONE</u>
K19053	Softtail	230/240/250	1-3/8"	38°	2"	5"	2"	1-3/4"
K19054	Softtail	230/240/250	1-3/8"	38°	4"	6-1/2"	2"	1-3/4"
K19055	Softtail	230/240/250	1-3/8"	38°	8"	8-1/2"	2"	1-3/4"
K19059	Softtail	230/240/250	1-3/8"	40°	2"	5"	2"	1-3/4"
K19060	Softtail	230/240/250	1-3/8"	40°	4"	6-1/2"	2"	1-3/4"
K19061	Softtail	230/240/250	1-3/8"	40°	8"	8-1/2"	2"	1-3/4"